

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	78	(presence) with (primitive) same (online or status or availability or location or privileges)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:51
L2	11	(presence) with (primitive) same (online or status or availability or location or privileges) same (time)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:52
L3	12	(presence) with (primitive) same (online or status or availability or location or privileges) and (netowrk or LAN or WAN) and (time)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:55
L4	25726	(online or on\$line or availab\$5) near5 (status)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L5	2764	L4 and (instant adj messaging)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L6	236	L5 and (client same (data adj structure))	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L7	1475	(online or on\$line or availab\$5) near5 (status) and 709/203-207.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L8	626931	(information or transaction) near4 (log or data)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L9	25413	(access) near3 (information or transaction) near4 (log or data)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L10	1330	(access) near3 (information or transaction) near4 (log or data) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L11	76	(access) near3 (information or transaction) near4 (log or data) same (client and server) same (authorized)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57

L12	149	(access) near3 (information or transaction) near4 (log same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L13	245	(access) near3 (information or transaction) near4 (log or status) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L14	22	709/203.ccls. and (access) near3 (information or transaction) near4 (log or status) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L15	0	715/522.ccls. and (access) near3 (information or transaction) near4 (log or data) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L16	0	715/522.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L17	233	(user or client or customer) with (packet) with (profile) with (server)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L18	104	(user or client or customer) with (packet) with (profile) with (server) with (network or LAN or WAN)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L19	1	"20020052908"	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
L20	12783	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L21	7	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) and (personal) near3 (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L22	3791	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) and (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57

L23	276	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) with (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L24	36	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) with (status) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L25	9	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availability) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L26	104	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availability) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L27	314	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L28	704	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) same status same (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L29	76	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) with (availab\$5) with status with (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57

L30	24	709/204,206.ccls. and (broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) same status same (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L31	26	709/204,206,207.ccls. and (broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) same status same (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L32	94	(user) with (profile or preferenc\$3) with (permission or author\$4) with (updat\$3) with (access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L33	94	(user) with (profile or preferenc\$3) with (permission or author\$4) with (updat\$3) with (access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L34	414	(user or participant) with (view\$3 or read\$3) with (profile) with (permission or author\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L35	47	(user or participant) with (view\$3 or read\$3) with (profile) with (permission or author\$4) with (allow \$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L36	0	(other) adj (user or participant) with (view\$3 or read\$3) with (profile) with (permission or author\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L37	6	(other) near4 (user or participant) with (view\$3 or read\$3) with (profile) with (permission or author\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57

L38	37	(user) adj (profile or attribute or preference) with (view\$3) with (permission)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L39	13	(user) with (authoriz\$5 or grant\$3 or allow) with (participant or member) with (view\$3) near3 (profile)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L40	7	"810625".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L41	3740	(chat or IM or "Instant Messag\$4" or "instant messeng\$3") same (status or active or online or on\$line) near3 (user or member or participant or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L42	2290	(chat or "Instant Messag\$4" or "instant messeng\$3") same (status or active or online or on\$line) near3 (user or member or participant or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L43	0	(chat or "Instant Messag\$4" or "instant messeng\$3") same (status or active or online or on\$line) near3 (user or member or participant or client) with (attribut)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L44	12	(chat or "Instant Messag\$4" or "instant messeng\$3") same (status or active or online or on\$line) near3 (user or member or participant or client) with (attributes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L45	17	(chat or "Instant Messag\$4" or "instant messeng\$3") same (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) with (attributes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57

L46	57	(chat or "Instant Messag\$4" or "instant messeng\$3") same (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) same (attributes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L47	1820	(chat or "Instant Messag\$4" or "instant messeng\$3") with (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L48	130	(chat or "Instant Messag\$4" or "instant messeng\$3") with (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) near4 (information)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L49	131	(chat or "Instant Messag\$4" or "instant messeng\$3") with (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) with (presence)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L50	2206	709/206.ccls. and (client or user or participant) same (reachab\$5 and status and location nad capabilit\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L51	1298	(client or user or participant) same (reachable or reacability) and status and location and capabilit\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L52	51	709/206.ccls. and (client or user or participant) same (reachable or reacability) and status and location and capabilit\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57
L53	14	709/206.ccls. and (client or user or participant) same (reachable or reacability) and status and location and capabilit\$3 and buddy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/08/20 14:57

S1	12359	(online or on\$line or availab\$5) near5 (status)	US-PGPUB; USPAT; EPO	OR	ON	2006/05/09 22:18
S2	591	S1 and (instant adj messaging)	US-PGPUB; USPAT; EPO	OR	ON	2005/04/19 15:19
S3	55	S2 and (client same (data adj structure))	US-PGPUB; USPAT; EPO	OR	ON	2005/04/19 15:20
S4	547	(online or on\$line or availab\$5) near5 (status) and 709/203-207.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2005/04/20 12:32
S5	333037	(information or transaction) near4 (log or data)	US-PGPUB; USPAT; EPO	OR	ON	2005/09/20 17:27
S6	12499	(access) near3 (information or transaction) near4 (log or data)	US-PGPUB; USPAT; EPO	OR	ON	2005/09/20 17:27
S7	570	(access) near3 (information or transaction) near4 (log or data) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2005/09/20 17:56
S8	24	(access) near3 (information or transaction) near4 (log or data) same (client and server) same (authorized)	US-PGPUB; USPAT; EPO	OR	ON	2005/09/20 17:30
S9	64	(access) near3 (information or transaction) near4 (log) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2005/09/20 17:43
S10	114	(access) near3 (information or transaction) near4 (log or status) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2005/09/20 17:52
S11	15	709/203.ccls. and (access) near3 (information or transaction) near4 (log or status) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2005/09/20 17:56
S13	1	715/522.ccls. and (access) near3 (information or transaction) near4 (log or data) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2005/09/20 17:57
S14	181	715/522.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2005/09/20 17:57

S15	88	(user or client or customer) with (packet) with (profile) with (server)	US-PGPUB; USPAT; EPO	OR	ON	2006/05/09 22:19
S16	39	(user or client or customer) with (packet) with (profile) with (server) with (network or LAN or WAN)	US-PGPUB; USPAT; EPO	OR	ON	2006/05/11 13:39
S19	1	"20020052908"	US-PGPUB; USPAT; EPO	OR	ON	2006/05/11 13:40
S20	9950	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:27
S22	3	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) and (personal) near3 (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:45
S23	2556	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) and (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:45
S24	179	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) with (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:45
S25	20	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) with (status) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:50
S32	3	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availability) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 18:06



S33	24	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availability) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 18:06
S34	127	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 18:07
S35	310	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) same status same (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 20:06
S36	30	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) with (availab\$5) with status with (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 18:08
S37	12	709/204,206.ccls. and (broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) same status same (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 20:07
S38	14	709/204,206,207.ccls. and (broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) same status same (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 20:07
S39	66	(user) with (profile or preferenc\$3) with (permission or author\$4) with (updat\$3) with (access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 16:32

S40	66	(user) with (profile or preferenc\$3) with (permission or author\$4) with (updat\$3) with (access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 17:11
S41	202	(user or participant) with (view\$3 or read\$3) with (profile) with (permission or author\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 17:13
S42	27	(user or participant) with (view\$3 or read\$3) with (profile) with (permission or author\$4) with (allow \$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 17:15
S43	0	(other) adj (user or participant) with (view\$3 or read\$3) with (profile) with (permission or author\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 17:16
S44	2	(other) near4 (user or participant) with (view\$3 or read\$3) with (profile) with (permission or author\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 17:16
S45	18	(user) adj (profile or attribute or preference) with (view\$3) with (permission)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 17:23
S46	7	(user) with (authoriz\$5 or grant\$3 or allow) with (participant or member) with (view\$3) near3 (profile)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 17:25
S47	7	"810625".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 17:59
S48	2795	(chat or IM or "Instant Messag\$4" or "instant messeng\$3") same (status or active or online or on\$line) near3 (user or member or participant or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 08:05

S49	1734	(chat or "Instant Messag\$4" or "instant messeng\$3") same (status or active or online or on\$line) near3 (user or member or participant or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 08:05
S50	0	(chat or "Instant Messag\$4" or "instant messeng\$3") same (status or active or online or on\$line) near3 (user or member or participant or client) with (attribut)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 08:06
S51	10	(chat or "Instant Messag\$4" or "instant messeng\$3") same (status or active or online or on\$line) near3 (user or member or participant or client) with (attributes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 08:07
S52	12	(chat or "Instant Messag\$4" or "instant messeng\$3") same (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) with (attributes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 08:19
S53	36	(chat or "Instant Messag\$4" or "instant messeng\$3") same (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) same (attributes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 08:20
S54	1358	(chat or "Instant Messag\$4" or "instant messeng\$3") with (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 08:23
S55	90	(chat or "Instant Messag\$4" or "instant messeng\$3") with (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) near4 (information)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 08:23

S57	93	(chat or "Instant Messag \$4" or "instant messeng \$3") with (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) with (presence)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/16 08:39
S58	1881	709/206.ccls. and (client or user or participant) same (reachab\$5 and status and location nad capabilit\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:46
S59	1128	(client or user or participant) same (reachable or reacability) and status and location and capabilit\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:48
S60	47	709/206.ccls. and (client or user or participant) same (reachable or reacability) and status and location and capabilit \$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:48
S61	12	709/206.ccls. and (client or user or participant) same (reachable or reacability) and status and location and capabilit \$3 and buddy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:02

8/ 20/ 2009 3:15:54 PM

C:\ Documents and Settings\ abilgrami\ My Documents\ EAST\ Workspaces\ 10099902.wsp